	Application No.	Applicant(s)
	10/722,605	STEKELENBURG, ALBERT
Notice of Allowability	Examiner	Art Unit
	Thomas M. Sember	2875
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) of NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOR of the Office or upon petition by the applicant. See 37 CFR 1.313	or the cover sheet with the cover sheet with the cover sheet with the cover or constant or	orrespondence address plication. If not included will be mailed in due course. THIS
1. This communication is responsive to the amendment filed 02/09/06.		
2. The allowed claim(s) is/are <u>4-6</u> .		
3.		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summar Paper No./Mail D 08), 7. ☐ Examiner's Amend	Patent Application (PTO-152) y (PTO-413), ate dment/Comment nent of Reasons for Allowance

Application/Control Number: 10/722,605

Art Unit: 2875

## **DETAILED ACTION**

1. The following is an examiner's statement of reasons for allowance: None of the prior art of record teaches or fairly suggest applicant's claimed invention. Particularly, applicant claims among other things "A protective grid for a work lamp......a plurality of plates connected to and covering a rear portion of the work lamp, the rear portion being located opposite the front portion, and a grid body connected to the plurality of plates."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas M. Sember whose telephone number is 571-272-2381. The examiner can normally be reached on M-F 8 A.M- 5.30 p.m. first Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra O'Shea can be reached on 571-272-2378. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/722,605 Page 3

Art Unit: 2875

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Thomas M Sember Primary Examiner Art Unit 2875

\*\*\*